



## *Scaffold Fittings*

### Fixed Coupler Heavy Duty



Forged Steel and the Specifications are as per BS-1139 Standard.

For pipe of 48.3mm X 48.3mm.

### Swivel Coupler



Forged Steel and the Specifications are as per BS-1139 Standard.

For pipe of 48.3mm X 48.3mm.

### Putlog Coupler



The Body is sheeted and the Cap is forged and the specifications are as per BS-1139

For Pipe of 48.3mm X 48.3mm.



## *Scaffold Fittings*

### Fixed Coupler



Made from 4-5mm thick sheet,  
as per BS-1139 Standard

For pipe of  
48.3mm X 48.3mm.

### Swivel Coupler



Made from 4-5mm thick sheet,  
as per BS-1139 Standard.

For pipe of  
48.3mm X 48.3mm.

### Fixed Coupler Light Duty



Made from 3mm Thick  
Sheet.

For pipe of  
48.3mm X 48.3mm.



## *Scaffold Fittings*

### Swivel Coupler Light Duty



Made from 3mm Thick Sheet.

For pipe of 48.3mm X 48.3mm.

### Fixed Combination Coupler



Made from 4-5mm thick sheet, as per BS-1139 Standard.

For Pipe of 48.3mm X 60mm.

### Swivel Combination Coupler



Made from 4-5mm thick sheet, as per BS-1139 Standard

For Pipe of 48.3mm X 60mm.



## *Scaffold Fittings*

### Girder Coupler



The Body is made from 12mm and the cap from 4-5mm thick sheet.

For Pipe of 48.3mm.

### Toe Board Coupler



Made from 4-5mm thick sheet, as per BS-1139 Standard.

For Pipe of 48.3mm.

### Sleeve Coupler



Made from 4-5mm thick sheet, as per BS-1139 Standard.

For pipe of 48.3mm X 48.3mm.